This instrument was prepared by:

KE LAW GROUP, PLLC P.O. Box 6386 Tallahassee, Florida 32301

NOTICE OF ESTABLISHMENT OF THE SOLAERIS COMMUNITY DEVELOPMENT DISTRICT

PLEASE TAKE NOTICE that on November 1, 2022, and pursuant to a petition filed by Oak Ridge Ranches LLC, the Board of County Commissioners of St. Lucie County, Florida, enacted Ordinance No. 22-030, which became effective November 16, 2022, establishing the Solaeris Community Development District ("District"). The legal description of the lands encompassed within the District is attached hereto as Exhibit A. The District is a special-purpose form of local government established pursuant to and governed by Chapter 190, Florida Statutes. More information on the powers, responsibilities, and duties of the District may be obtained by examining Chapter 190, Florida Statutes, or by contacting the District's registered agent as designated to the Department of Economic Opportunity under Section 189.014, Florida Statutes.

THE SOLAERIS COMMUNITY DEVELOPMENT DISTRICT MAY IMPOSE AND LEVY TAXES OR ASSESSMENTS, OR BOTH TAXES AND ASSESSMENTS, ON THIS PROPERTY. THESE TAXES AND ASSESSMENTS PAY THE CONSTRUCTION, OPERATION AND MAINTENANCE COSTS OF CERTAIN PUBLIC FACILITIES AND SERVICES OF THE DISTRICT AND ARE SET ANNUALLY BY THE GOVERNING BOARD OF THE DISTRICT. THESE TAXES AND ASSESSMENTS ARE IN ADDITION TO COUNTY AND OTHER LOCAL GOVERNMENT TAXES AND ASSESSMENTS AND ALL OTHER TAXES AND ASSESSMENTS PROVIDED FOR BY LAW.

[THIS SPACE INTENTIONALLY LEFT BLANK]

	lotice has been executed on this day of in the Official Records of St. Lucie County, Florida.
	Jere Earlywine, District Counsel KE Law Group, PLLC
Witness	Witness
Katherine E. Ibarra Print Name	Ashley Ligas Print Name
or □ online notarization, this 23 day	owledged before me by means of physical presence of Novembra 2022, by Jere Earlywine, as District ment District, who appeared before me this day in own to me, or produced
ASHLEY A. LIGAS Commission # HH 070475 Expires December 9, 2024 Bonded Thru Budget Notary Services	NOTARY PUBLIC, STOTE OF FLORIDA
(NOTARY SEAL)	Name: Ashley Liges (Name of Notary Public, Printed, Stamped or Typed as Commissioned)

OR BOOK 4918 PAGE 1432

Exhibit A Property Description

LEGAL DESCRIPTION

BEING A PARCEL OF LAND LYING IN SECTIONS 23, 25, 26, 35, 36, TOWNSHIP 36 SOUTH, RANGE 38 EAST, AND SECTIONS 1 AND 2, TOWNSHIP 37 SOUTH, RANGE 38 EAST, ST. LUCIE COUNTY, FLORIDA. SAID PARCEL OF LAND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHEAST CORNER OF SAID SECTION 35: THENCE SOUTH 89°33'08" WEST ALONG THE NORTH LINE OF SAID SECTION 35, A DISTANCE OF 848.24 FEET TO THE **POINT OF BEGINNING** OF C.D.D. PARCEL; THENCE CONTINUE SOUTH 89°33'08" WEST ALONG SAID NORTH LINE, A DISTANCE OF 1438.27 FEET TO A POINT ON THE EAST LINE OF THE WEST HALF riangle) OF THE SOUTHWEST ONE QUARTER riangle) OF THE SOUTHWEST ONE QUARTER riangle) OF THE SOUTHEAST ONE QUARTER $(rac{1}{4})$ OF SAID SECTION 26; THENCE NORTH 80°26'52" WEST ALONG SAID EAST LINE, A DISTANCE OF 669,50 FEET TO A POINT ON THE NORTH LINE OF THE WEST HALF (3) OF THE SOUTHWEST QUARTER (2) OF THE SOUTHWEST QUARTER (2) OF THE SOUTHEAST QUARTER (3) OF SAID SECTION 26; THENCE SOUTH 89°50'34" WEST ALONG SAID NORTH LINE, A DISTANCE OF 328.41 FEET TO A POINT ON THE WEST LINE OF THE EAST HALF (4) OF SAID SECTION 26; THENCE NORTH 00°09'26" WEST ALONG SAID EAST LINE, A DISTANCE OF 4808,82 FEET TO THE SOUTH QUARTER CORNER OF SAID SECTION 23 : THENCE NORTH 00°08'13" WEST ALONG THE WEST LINE OF THE EAST HALF ($\frac{1}{2}$) OF SAID SECTION 23, A DISTANCE OF 5121,28 FEET TO A POINT ON THE SOUTH RIGHT OF WAY OF THE C-24 CANAL AS DESCRIBED IN DEED BOOK 243, PAGE 626 OF THE PUBLIC RECORDS OF ST, LUCIE COUNTY, FLORIDA; THENCE NORTH 89°57'08" EAST ALONG SAID SOUTH RIGHT OF WAY, A DISTANCE OF 369,00 FEET; THENCE SOUTH 89°58'02" EAST ALONG SAID SOUTH RIGHT OF WAY, A DISTANCE OF 2225,15 FEET TO A POINT ON THE EAST LINE OF SAID SECTION 23: THENCE SOUTH 00°14'49' EAST ALONG THE EAST LINE OF SAID SECTION 23. A DISTANCE OF 5119.73. FEET TO THE SOUTHEAST CORNER OF SAID SECTION 23: THENCE SOUTH 89°19'00" EAST ALONG THE NORTH LINE OF SAID SECTION 25, A DISTANCE OF 2616.94 FEET TO THE NORTH QUARTER CORNER OF SAID SECTION 25; THENCE SOUTH 89°17'56" EAST ALONG SAID NORTH LINE OF SECTION 25, A DISTANCE OF 2547,36 FEET TO A POINT ON A LINE. THAT IS 70,00 FEET WEST OF AND PARALLEL WITH THE EAST LINE OF SAID SECTION 25 ; THENCE SOUTH 00°00'44" WEST ALONG SAID PARALLEL LINE . A DISTANCE OF 5284,73 FEET TO A POINT ON THE NORTH LINE OF SAID SECTION. 36; THENCE NORTH 88"30'58" EAST ALONG SAID NORTH LINE OF SECTION 36, A DISTANCE OF 70,02 FEET TO THE NORTHEAST CORNER OF SAID SECTION 36; THENCE SOUTH 00°08'55" EAST ALONG THE EAST LINE OF SAID SECTION. 36, A DISTANCE OF 4946,78 FEET TO A POINT ON THE NORTHWESTERLY RIGHT OF WAY LINE OF GLADES CUT OFF ROAD (SR 709) AS DESCRIBED IN OFFICIAL RECORD BOOK 587, PAGE 1117 OF THE PUBLIC RECORDS OF ST, LUCIE COUNTY, FLORIDA; THENCE SOUTH 44°46"11" WEST ALONG SAID NORTHWESTERLY RIGHT OF WAY LINE, A DISTANCE OF 5136,76 FEET; THENCE NORTH 30°26'13" WEST, A DISTANCE OF 517.41 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE SOUTHERLY, HAVING A RADIUS OF 235,78 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 82°53'13", A DISTANCE OF 341.09 FEET TO A POINT OF TANGENCY; THENCE SOUTH 60°00'20" WEST, A DISTANCE OF 129,73 FEET TO THE POINT OF CURVATURE OF A NON-TANGENT CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 1517,25 FEET AND A CHORD BEARING OF SOUTH 49°37°38" WEST; THENCE SOUTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 09°15'46", A DISTANCE OF 245,29 FEET TO A POINT OF TANGENCY: THENCE SOUTH 44*21*58* WEST, A DISTANCE OF 85,47 FEET: THENCE NORTH 45°55'46" WEST, A DISTANCE OF 475,69 FEET; THENCE NORTH 43°39'21" EAST, A DISTANCE 828,93 FEET; THENCE NORTH 45°17'15' WEST, A DISTANCE OF 75,74 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 1275,00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE. THROUGH A CENTRAL ANGLE OF 30°53'26", A DISTANCE OF 687.40 FEET TO A POINT OF TANGENCY; THENCE NORTH 14°23'50" WEST, A DISTANCE OF 517,44 FEET; THENCE NORTH 68°02'49" WEST, A DISTANCE OF 448,84 FEET; THENCE. NORTH 07°14'38" WEST, A DISTANCE OF 51.74 FEET THE POINT OF CURVATURE OF A NON-TANGENT CURVE, CONCAVE WESTERLY, HAVING A RADJUS OF 192,38 FEET AND IA CHORD BEARING OF NORTH 12°58'19" WEST; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 138°10'19", A DISTANCE OF 463,93 FEET TO THE POINT OF REVERSE CURVE, CONCAVE TO THE NORTHEASTERLY HAVING A RADIUS OF 35,00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 30°57'04", A DISTANCE OF 18,91 FEET TO A POINT OF TANGENCY;

~					
(FIELD EKPG)	DRAWN BY.	$\overline{}$			$\overline{}$
N/A	T. C. MULLIN				
JOB NUMBER	APPROVED 6Y:				
A 15-015,F SHEET:	G, P, WILLIAMS DATE:				
\10F7	05/23/2022	BY:	DATE:	REVISIONS	八
	*				

SKETCH AND LEGAL DESCRIPTION OF CDD PARCEL FOR OAK RIDGE RANCHES, LLC



OR BOOK 4918 PAGE 1433

LEGAL DESCRIPTION CONTINUED

THENCE NORTH 51°06'24" WEST, A DISTANCE OF 150,09 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE. SOUTHWESTERLY, HAVING A RADIUS OF 390,00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE. THROUGH A CENTRAL ANGLE OF 28°27'34", A DISTANCE OF 193.72 FEET TO A POINT OF TANGENCY: THENCE NORTH 79°33'58" WEST, A DISTANCE OF 94.11 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 50,00 FEET: THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 54°19'24", A DISTANCE OF 47.41 FEET TO A POINT OF TANGENCY; THENCE NORTH 25°14'34" WEST, A DISTANCE OF 61,10 FEET; THENCE NORTH 75°37'40" EAST, A DISTANCE OF 11,69 FEET; THENCE NORTH 14°22'20" WEST, A DISTANCE OF 130,00 FEET; THENCE SOUTH 75°37'40" WEST, A DISTANCE OF 319,37 FEET; THENCE NORTH 04°00'24" WEST, A DISTANCE OF 252,90 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 1160,00 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE. OF 32"44"13", A DISTANCE OF 662,79 FEET TO A POINT OF TANGENCY: THENCE NORTH 36"44"37" WEST, A DISTANCE OF 297.61 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 340.00 FEET; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 19"42'10", A DISTANCE OF 116.92 FEET TO A POINT OF TANGENCY; THENCE NORTH 17°C2'27" WEST, A DISTANCE OF 130.91 FEET; THENCE NORTH 43°53'27" EAST, A DISTANCE OF 210,42 FEET; THENCE NORTH 54°47'44" EAST, A DISTANCE OF 347,26 FEET; THENCE NORTH 68"57"39" EAST, A DISTANCE OF 422,81 FEET: THENCE NORTH 77"54"32" EAST, 424,50 FEET; THENCE NORTH 61°13′04" EAST, A DISTANCE OF 51.50 FEET TO THE POINT OF CURVATURE OF A NON-TANGENT CURVE, CONCAVE WESTERLY, HAVING A RADIUS OF 925,00 FEET AND A CHORD BEARING OF NORTH 17*46'18" WEST; THENCE NORTHERLY ALONG THE ARC OF SAJD CURVE THROUGH A CENTRAL ANGLE OF 04°26'58", A DISTANCE OF 71,83 FEET. TO THE POINT OF TANGENCY; THENCE NORTH 19°59'47" WEST, A DISTANCE OF 389,13 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE EASTERLY, HAVING A RADIUS OF 1075,00 FEET; THENCE NORTHERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 17"51'42", A DISTANCE OF 335,12 FEET TO THE END POINT OF SAID CURVE, SAID POINT HAVING A RADIAL BEARING OF NORTH 87°51'55" EAST; THENCE SOUTH 87°51'55" WEST, A DISTANCE OF 67.80 FEET TO THE POINT OF CURVATURE OF A NON-TANGENT CURVE, CONCAVE SOUTHWESTERLY. HAVING A RADIUS OF 310,00 FEET AND A CHORD BEARING OF NORTH 45°12'39" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 89°34'45", A DISTANCE OF 484.67 FEET TO THE POINT OF TANGENCY; THENCE SOUTH 89°59'58" WEST, A DISTANCE OF 32,19 FEET; THENCE NORTH 00°24'32" WEST, A DISTANCE OF 652,43 FEET; THENCE NORTH 77°19'49" EAST, A DISTANCE OF 50,12 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE NORTHWESTERLY, HAVING A RADIUS OF 471.81 FEET: THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 30°24'48". A DISTANCE OF 250.44 FEET TO THE POINT OF TANGENCY; THENCE NORTH 46°55'01" EAST, A DISTANCE OF 266.43 FEET TO THE POINT OF CURVATURE OF A NON-TANGENT CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 2075.00 FEET AND A CHORD BEARING OF NORTH 18"37"14" EAST; THENCE NORTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 12°25'52", A DISTANCE OF 450,20 FEET TO THE POINT OF TANGENCY; THENCE NORTH 24°50'10" EAST, A DISTANCE OF 341,18 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE SOUTHEASTERLY, HAVING A RADIUS OF 2075,00. FEET; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 02"53"58", A DISTANCE OF 105,00 FEET TO THE END POINT OF SAID CURVE, SAID POINT HAVING A RADIAL BEARING OF SOUTH 62°15'53" EAST; THENCE NORTH 46°47'44" WEST, A DISTANCE OF 231,03 FEET TO THE POINT OF CURVATURE OF A CURVE, CONCAVE SOUTHWESTERLY, HAVING A RADIUS OF 1012.90 FEET; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 43°12'16", A DISTANCE OF 763,79 FEET TO THE POINT OF TANGENCY AND THE **POINT OF BEGINNING** OF C.D.D. PARCEL:

CONTAINING 94713412.97 SQUARE FEET (2,174.32 ACRES)± MORE OR LESS.

*				
FIELD BK/PG	DRAWN BY. T. C. MULLIN)(
N/A. Job Number	APPROVED BY:			
A 15-016,F	G.P. WILLIAMS			
2°0F 7		BY:	DATE:	REVISIONS

SKETCH AND LEGAL DESCRIPTION OF CDD PARCEL FOR OAK RIDGE RANCHES, LLC

M	F,R,S, & ASSOCIATES, INC.
	LAND SURVEYORS AND LAND PLANNERS
	CERTIFICATE OF AUTHORIZATION NO. LB 424
	2257 VISTA PARKWAY, SUITE 4
3	WEST PALM BEACH, FLORICA 33411
	PHONE (561) 478-7178 FAX (561) 478-7922

SURVEYOR'S NOTES

- 1. THE BEARING SHOWN HEREON REFER TO A NORTH LINE OF SECTION 35, TOWNSHIP 36 SOUTH, RANGE 38 EAST, BEING SOUTH 89°33'08" WEST, STATE PLANE COORDINATE SYSTEM 1983 DATUM WITH 2011 ADJUSTMENT FOR FLORIDA EAST ZONE, ALL OTHER BEARINGS ARE RELATIVE THERETO.
- THIS IS NOT A BOUNDARY SURVEY.
- THIS DESCRIPTION IS NOT VALID UNLESS ACCOMPANIED BY THE SKETCH ON SHEETS 4 THRU 7.
- 4. THE LANDS SHOWN HEREON WERE NOT ABSTRACTED BY THIS FIRM FOR RIGHTS-OF-WAY, EASEMENTS, OWNERSHIP, OR OTHER INSTRUMENTS OF RECORD THAT MAY AFFECT THE SUBJECT SITE.
- 5. BEARING AND DISTANCES SHOWN HEREON ARE GRID, NORTH AMERICAN DATUM OF 1983 / 2011 ADJUSTMENT (NAD 83/2011), FLORIDA EAST ZONE, LINEAR UNITS ARE U.S. SURVEY FEET.

LAND SURVEYOR'S STATEMENT

I HEREBY CERTIFY THAT THE SKETCH SHOWN HEREON IS A TRUE AND CORRECT REPRESENTATION OF THE ACCOMPANYING DESCRIPTION AND COMPLIES WITH THE TECHNICAL STANDARDS SET FORTH IN CHAPTER 5J-17, F.A.C. BY THE FLORIDA BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS, PURSUANT TO SECTION 472.027, FLORIDA STATUTES. NOT VALID UNLESS SEALED WITH SURVEYOR'S EMBOSSED SEAL AND SIGNATURE,

F.R.S. AND ASSOCIATES, INC.

BY:	Gary P. Williams Digitally signed by Gary P. Williams Date: 2022.05.25 14:31:05 -04'00'			
	GARY P, WILLIAMS, P,S,M,			

GARY P, WILLIAMS, P,S,M, FLORIDA CERTIFICATION No. 4817 FOR THE FIRM

THÍS ÍS NÓT A BOUNDARY SURVEY

1				
FIELD BKPG N/A	DRAWN 64. T. C. MULLIN			
JOB NUMBER	APPROVED BY:			
A 15-015,F SHEET:	G. P. WILLIAMS DATE:			
(3 OF 7)	05/23/2022	BY:	DATE:	REVISIONS

SKETCH AND LEGAL DESCRIPTION OF CDD PARCEL FOR OAK RIDGE RANCHES, LLC









